

Conversions Refurbishments

Seven-Air Gebr. Meyer AG Baselstrasse 19/PF CH-6000 Luzern Tel: +41 41 249 85 85 info@seven-air.com

- Consulting, planning
- Production
- Disassembly and assembly
- Custom-fit conversions and extensions
- Recommissioning
- Waste disposal
- Energetic optimisation
- Updating of order documents and their archiving

Turn old into new the solution is conversion or refurbishment

Our throwaway society has a tendency to remove the old and replace it with the new. With the «Monoblocs» ventilation units, this can quickly become expensive. But this is not necessary. Sophisticated refurbishment solutions make a cost-effective conversion possible. The use of new innovative components improves energy efficiency and ensures an attractive payback period. In addition, refurbishment often improves the indoor climate as well.

The following are arguments in favour of refurbishing or converting ventilation units:

- savings in operating costs
- no disposal of functional components
- savings in investment costs
- no additional building volume necessary
- no dismantling necessary
- short interruption time, only a few days depending on the situation

At Seven-Air Gebr. Meyer AG, we offer specialists who specialise in renovations and conversions offer the right solution for all remodelling and renovation tasks suitable solution:

Refurbishment and conversion of

- masonry units
- air handling units (monobloc)

All types and makes

such as Hemair, Orion and Fläkt units

Support from specialists

- advice, planning, implementation
- disassembly and assembly

Manufacture

- in our own factory
- accurate to size in millimetre increments
- reconstruction of the existing colour (RAL)

Seven steps for a successful refurbishment

STEP 1 - ADVICE

Advice from 7-Air specialists (directly on site if possible).

STEP 2 - EXPERTISE

Expertise and submission of a recommendation (incl. indicative prices if requested).

STEP 3 - PRODUCT SELECTION

Seven-Air offers support in the correct choice of components (e.g. heat recovery and humidification systems).

STEP 4 - TAKING MEASUREMENTS

The renovation and conversion specialist takes the measurements on site and also checks the insertion opening.

STEP 5 - PLANNING/PREPARATION

Dismantling and installation are discussed with the client and the optimum time for renovation is defined. New plant and housing components are prepared in advance.

STEP 6 - DISASSEMBLY/ASSEMBLY

The contracted installation company is supported by Seven-Air's experienced installation team.

STEP 7 - RECOMMISSIONING

Seven-Air's specialists are on hand to help with the recommissioning.

REFURBISHMENT	PROFIT
 Replace heat recovery Plate heat exchanger with humidity transfer (hygro) Rotary heat recovery Closed-loop heat recovery with ECOSOL-Wave 	 Higher energy recovery Lower operating costs
Replace humidification systems	 Reduction of energy and water consumption Lower operating costs Compliance with hygiene requirements Improved indoor climate
 Fans New energy-efficient fans/motors Adjust air volume sensibly Install volume measuring device 	 Reduction of energy consumption Lower operating costs Reduced noise emissions
 Replacing old components such as: Filters with higher filtration efficiency and higher energy efficiency Heat exchanger (Air heater, air cooler) 	 Reduction of pressure resistance Smaller dimensioning of the fans Lower investment and operating costs
Dry recoolers with hybrid recooling system replace «HYBRICOOL»	 Increased cooling capacity with the same space requirement Reduced energy demand Lower operating costs





EXAMPLE - REFURBISHMENT PROJECT

Installation of Closed-loop heat recovery system

Commercial building, Bellerivestrasse 36, Zurich Planner: RMB Engineering AG, Zurich Total contractor: Allreal GU AG, Zurich.

A ventilation centre was installed in the supply air space of the masonry ventilation system. The heat recovery is now carried out with a CLS-HRS System. The exhaust air space s special. With the newly installed batteries, the room is divided into two chambers in terms of ventilation. The recovered neat energy is fed to the existing heat recovery system in the butside air area. Thanks to the conversion, the energy efficiency of the ventilation system is significantly increased.

- Air volume: 76 000 m³/h
- Heat recovery capacity: 228 kW

Redevelopment/conversion project «Cityport» Zurich



Old housing fan is removed and ...



... replaced with two fans with EC motors (IE5).



Installation of new efficient hybrid humidifier



7Air revision front mounted on humidifier section

Object:Cityport, ZurichPlanner:Willi Werner Engineering GmbH, ZurichInstaller:ENIP AG, Glattbrugg

This refurbishment project focuses on the factors of energy and hygiene. With new energy-efficient fans, energy consumption is significantly reduced. Thanks to the new modern humidification system, water and energy are saved. In addition, the new system complies with the hygiene directive SWKI VA104-01.

- Number of air handling units: 5
- Total air volume flow

Conversion date

150'000 m³/h 2021 to 2022 (in stages)

- Delivery contents Seven-Air Gebr. Meyer AG Components
- SA-EA-Fan Wall with 2 free-wheeling fans EC each
- Flex collar
- Hybrid humidifier incl. evaporation unit and pump station
- Conversion trough with drain, rear wall and ceiling (W-No. 1.401)
- LED lighting
- Unit housing 7Air in ORION blue

Work performance

- Dismantling and disposal of droplet separator, complete contact humidifier, lighting, housing fans incl. motors, flex sleeve, old housing parts
- Provision of the necessary installations for the conversion (lifting equipment, platforms, tools, etc.)
- Installation of the fans and the humidification system
- Provision of a conversion team (4 persons)
- Function check, commissioning